

測試報告 Test Report^號

號碼(No.): CV/2018/B0067

日期(Date): 2018/11/28

頁數(Page): 1 of 8

ISOLA GROUP

以下測試樣品係由申請廠商所提供及	確認	(The following sample(s) was/were submitted and identified by/on					
behalf of the applicant as):							
樣品名稱(Sample Description)	:	PREPREG					
樣品型號(Style/Item No.)	:	185HR					
收件日期(Sample Receiving Date)	:	2018/11/14					
測試期間(Testing Period)	:	2018/11/14 TO 2018/11/28					
=======================================	====						

测試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).





號碼(No.): CV/2018/B0067

日期(Date): 2018/11/28

頁數(Page): 2 of 8

ISOLA GROUP

<u>测試結果(Test Results)</u>

測試部位(PART NAME)No.1 : 黃色片狀 (YELLOW SHEET)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
鹵素 / Halogen				
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	1240
鹵素(氯)/ Halogen-Chlorine(Cl) (CAS No.: 22537-15-1)	mg/kg	參考BS EN 14582 (2016),以離子層析 儀分析. / With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	503
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	70800
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n. d.
四溴雙酚-A / Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	mg/kg	参考Global SOP RSTS-E&E-121 (2012) ,以液相層析儀/質譜儀分析. / With reference to Global SOP RSTS-E&E- 121 (2012). Analysis was performed by LC/MS.	10	n. d.
雙酚 A / Bisphenol A (CAS No.: 80- 05-7)	mg/kg	參考RSTS-CHEM-239-1 (2016),以超高 效能液相層析串聯質譜儀檢測. / With reference to RSTS-CHEM-239-1 (2016). Analysis was performed by UPLC-MSMS.	1	n. d.
绨 / Antimony (Sb)	mg/kg	参考US EPA 3052 (1996),以感應耦合 電漿原子發射光譜儀檢測. / With reference to US EPA 3052 (1996).	2	n. d.
砷 / Arsenic (As)	mg/kg		2	n. d.
鎳 / Nickel (Ni)	mg/kg		2	4.91
磷 / Phosphorus (P)	mg/kg	Analysis was performed by ICP-AES.	2	30.6
總揮發性有機物質 / Total Volatile Organic Compounds (TVOC)	mg/kg	以項空氣體進樣裝置,連接氣相層析儀 /質譜儀檢測. / Analysis was performed by Headspace linked GC/MS. (測試條件 / Test Condition: 90℃, 30 mins)	1	5. 30

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



號碼(No.): CV/2018/B0067

日期(Date): 2018/11/28

頁數(Page): 3 of 8

ISOLA GROUP

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)



號碼(No.): CV/2018/B0067


日期(Date): 2018/11/28

頁數(Page): 4 of 8

ISOLA GROUP

<u>鹵素分析流程圖 / Analytical flow chart - Halogen</u>

- 測試人員:陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



號碼(No.): CV/2018/B0067


日期(Date): 2018/11/28

頁數(Page): 5 of 8

ISOLA GROUP

四溴雙酚-A 分析流程圖 / Analytical flow chart - TBBP-A

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.): CV/2018/B0067


日期(Date): 2018/11/28

頁數(Page): 6 of 8

ISOLA GROUP

雙酚A分析流程圖 / Analytical flow chart - Bisphenol A

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



測試報告 Test Report^號

號碼(No.): CV/2018/B0067

日期(Date): 2018/11/28

頁數(Page): 7 of 8

ISOLA GROUP

根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.

- 測試人員:陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang

元素以 ICP-AES 分析的消化流程圖 (Flow Chart of digestion for the elements analysis performed by ICP-AES) 剪裁、製備樣品 / Cutting、Preparation ₽ 測試樣品重量 / Sample Measurement 依據不同樣品的材質而以適當的酸進行消化(如下表所示)/Acid digestion by suitable acid depended on different sample material (as below table) ₽ 過濾 / Filtration ļ Ł 殘渣 / Residue 溶液 / Solution t 1) 鹼熔融法 / Alkali Fusion Ŧ 2) 鹽酸溶解 / HCI to dissolve 感應耦合電漿原子發射光譜儀 / ICP-AES 鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder 王水,硝酸,鹽酸,氫氟酸,雙氧水 / Aqua regia, HNO₃, HCI, HF, H₂O₂ 玻璃 / Glass 硝酸,氫氟酸 / HNO3/HF 金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic 王水 / Aqua regia 銀 / Silver 硝酸 / HNO3 塑膠 / Plastic 硫酸,雙氧水,硝酸,鹽酸 / H2SO4, H2O2, HNO3, HCI 加入適當的試劑至完全溶解 / Added appropriate 其他 / Others reagent to total digestion



測試報告 Test Report^號

號碼(No.): CV/2018/B0067

日期(Date) : 2018/11/28

頁數(Page): 8 of 8

ISOLA GROUP

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-