

測試報告 Test Report ^{號碼(No.)}: CV/2019/B0052

ISOLA GROUP

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

日期(Date): 2019/11/26

樣品名稱(Sample Description)	: PREPREG
樣品型號(Style/Item No.)	: 370 TURBO
收件日期(Sample Receiving Date)	: 2019/11/12
測試期間(Testing Period)	: 2019/11/12 to 2019/11/26

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).

Troy Chang / Manager - Teo Signed for and behalf of SĞS TAIWAN LTD. Chemical Laboratory - Taipei

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document, at the limit of itability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 1 of 13



號碼(No.): CV/2019/B0052

日期(Date): 2019/11/26

頁數(Page): 2 of 13

ISOLA GROUP

測試結果(Test Results)

測試部位(PART NAME)No.1 黃色片狀 (YELLOW SHEET) :

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result)
				No. 1
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	1410
鹵素(氯)/ Halogen-Chlorine(Cl) (CAS No.: 22537-15-1)	mg/kg	参考BS EN 14582 (2016),以離子層析 儀分析. / With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	621
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	103000
鹵素 (碑) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n. d.
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	参考US EPA 3550C(2007),以液相層 析/質譜儀檢測. / With reference to US EPA 3550C(2007). Analysis was	10	n. d.
全氟辛酸 / PFOA (CAS No.: 335-67-1)	mg/kg	performed by LC/MS.	10	n. d.
四溴雙酚-A / Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	mg/kg	参考Global SOP RSTS-E&E-121 (2012) ,以液相層析/質譜儀分析. / With reference to Global SOP RSTS-E&E- 121 (2012). Analysis was performed by LC/MS.	10	n. d.
雙酚 A / Bisphenol A (CAS No.: 80- 05-7)	mg/kg	參考RSTS-CHEM-239-1 (2016),以超高 效能液相層析串聯質譜儀檢測. / With reference to RSTS-CHEM-239-1 (2016). Analysis was performed by UPLC-MSMS.	1	n. d.
聚氯乙烯 / Polyvinyl chloride (PVC)	**	以紅外光譜分析及焰色法檢測. / Analysis was performed by FTIR and FLAME Test.	-	Negative

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document, at the limit of itability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

SGS Taiw an Ltd. 台灣檢驗科技股份有限公司 25. Wu Chyuan /th Koad, New Taper Industrial Park, wu nu District, Irew Taper Chyuan /th Koad, New Taper Industrial Park, wu nu District, Irew Taper Chyuan /th Koad, New Taper Chyuan /th Chyuan /th Koad, New Taper Chyuan /th Chyuan / 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan /新北市五股區新北產業園區五權七路25號



測試報告

Test Report

ISOLA GROUP

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) No.1
砷 / Arsenic (As)	mg/kg	参考US EPA 3052 (1996),以感應耦合 電漿發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES.	2	n. d.
鈹 / Beryllium (Be)	mg/kg	参考US EPA 3052 (1996),以感應耦合 電漿發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES.	2	n. d.
銻 / Antimony (Sb)	mg/kg	參考US EPA 3052 (1996),以感應耦合 電漿發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES.	2	n. d.
鎳 / Nickel (Ni)	mg/kg	参考US EPA 3052 (1996),以感應耦合 電漿發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES.	2	n. d.
錫 / Tin (Sn)	mg/kg	参考US EPA 3052 (1996),以感應耦合 電漿發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES.	2	n. d.
磷 / Phosphorus (P)	mg/kg	参考US EPA 3052 (1996),以感應耦合 電漿發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES.	2	87.4
ニ丁基錫 / Dibutyl Tin (DBT)	mg/kg	參考ISO 17353 (2004),以氣相層析儀 /火焰光度偵測器檢測. / With reference to ISO 17353 (2004). Analysis was performed by GC/FPD.	0.03	n. d.
三丁基錫 / Tributyl Tin (TBT)	mg/kg	參考ISO 17353 (2004),以氣相層析儀 /火焰光度偵測器檢測. / With reference to ISO 17353 (2004). Analysis was performed by GC/FPD.	0.03	n. d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-Conditions.aspx drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

號碼(No.) : CV/2019/B0052

日期(Date): 2019/11/26

頁數(Page): 3 of 13



測試報告

Test Report

ISOLA GROUP

結果 测試項目 單位 测試方法 (Result) MDL (Test Items) (Unit) (Method) No. 1 二辛基錫 / Dioctyl Tin (DOT) 參考ISO 17353 (2004),以氣相層析儀 0.03 mg/kg n. d. /火焰光度偵測器檢測. / With reference to ISO 17353 (2004). Analysis was performed by GC/FPD. 三苯基錫 / Triphenyl Tin (TphT) mg/kg 參考ISO 17353 (2004),以氣相層析儀 0.03 n. d. /火焰光度偵測器檢測. / With reference to ISO 17353 (2004). Analysis was performed by GC/FPD. 氧化雙三丁基錫 / 參考ISO 17353 (2004),以氣相層析儀 0.03 (\blacktriangle) mg/kg n. d. Bis(tributyltin)oxide (TBTO) (CAS /火焰光度偵測器檢測;由三丁基錫測 No.: 56-35-9) 試結果計算得之. / With reference to ISO 17353 (2004). Analysis was performed by GC/FPD. Calculated from the result of Tributyl Tin (TBT).

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出)
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)

號碼(No.): CV/2019/B0052

- 7. (▲): MDL是針對元素/測試化合物之評估. / The MDL was evaluated for element / tested substance.
 - 換算公式 (Conversion Formula): AX = A × F

AX	А	F
氧化雙三丁基錫 / Bis(tributyltin)oxide (TBTO)	三丁基錫 / Tributyl Tin (TBT)	1.024
	· · · · · · · · · · · · · · · · · · ·	

參數換算表 / Parameter Conversion Table: http://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-conditions/terms-end-terms-end-condition

日期(Date): 2019/11/26 頁

頁數(Page): 4 of 13



ISOLA GROUP

號碼(No.): CV/2019/B0052

日期(Date): 2019/11/26

頁數(Page): 5 of 13

PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 2019/1021

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗層材料中不得超過1μg/m²。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above $l\mu g/m^2$.)




號碼(No.): CV/2019/B0052

頁數(Page): 6 of 13

ISOLA GROUP

鹵素分析流程圖 / Analytical flow chart - Halogen

- 測試人員:陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang






號碼(No.): CV/2019/B0052

頁數(Page): 7 of 13

ISOLA GROUP



- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang






號碼(No.): CV/2019/B0052

頁數(Page): 8 of 13

ISOLA GROUP

四溴雙酚-A 分析流程圖 / Analytical flow chart - TBBP-A

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang






號碼(No.): CV/2019/B0052

頁數(Page): 9 of 13

ISOLA GROUP

雙酚A分析流程圖 / Analytical flow chart - Bisphenol A

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang






號碼(No.): CV/2019/B0052

頁數(Page): 10 of 13

ISOLA GROUP

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.): CV/2019/B0052

日期(Date): 2019/11/26

頁數(Page): 11 of 13


ISOLA GROUP

根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.

- 測試人員:陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang

元素以 ICP-OES 分析的消化流程圖

(Flow Chart of digestion for the elements analysis performed by ICP-OES)






號碼(No.) : CV/2019/B0052

頁數(Page): 12 of 13

ISOLA GROUP

有機錫分析流程圖 / Analytical flow chart - Organic-Tin

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-conditions/terms-and-terms-and-conditions/terms-and-condition




號碼(No.): CV/2019/B0052


日期(Date) : 2019/11/26

頁數(Page): 13 of 13

ISOLA GROUP



CV/2019/B0052



** 報告結尾 (End of Report) **