

測試報告

Test Report

ISOLA GROUP

號碼(No.): ETA20A00233 日期(Date): 29-Oct-2020 頁數(Page): 1 of 12

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

樣品名稱(Sample Name) : PREPREG 樣品型號(Style/Item No.) : I-SPEED

收件日(Sample Receiving Date) : 20-Oct-2020

測試期間(Testing Period) : 20-Oct-2020 to 29-Oct-2020

測試需求(Test Requested) : 依據客戶要求進行測試,測試項目請參閱測試結果表格。 (Testing item(s)

is/are specified by client. Please refer to result table for testing item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)





PIN CODE: 9354F2C9



ISOLA GROUP

號碼(No.): ETA20A00233 日期(Date): 29-Oct-2020 頁數(Page): 2 of 12

測試部位敘述 (Test Part Description)

No.1 : 黃色片狀 (YELLOW SHEET)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-		mg/kg	50	544
8)				
氯 (CI) (Chlorine (CI)) (CAS No.: 22537-	參考BS EN 14582: 2016,以離子層析儀分析。	mg/kg	50	274
15-1)	(With reference to BS EN 14582: 2016, analysis			
溴 (Br) (Bromine (Br)) (CAS No.: 10097-	was performed by IC.)	mg/kg	50	100000
32-2)				
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.
全氟辛烷磺酸及其鹽類 (PFOS and its	參考US EPA 3550C: 2007,以液相層析儀/質譜儀	mg/kg	10	n.d.
salts) (CAS No.: 1763-23-1 and its salts)	分析。(With reference to US EPA 3550C: 2007,			
	analysis was performed by LC/MS.)			
全氟辛酸及其鹽類 (PFOA and its salts)	參考US EPA 3550C: 2007·以液相層析儀/質譜儀	mg/kg	10	n.d.
(CAS No.: 335-67-1 and its salts)	分析。(With reference to US EPA 3550C: 2007,			
	analysis was performed by LC/MS.)			
四溴雙酚-A (TBBP-A)	參考RSTS-E&E-121,以液相層析儀/質譜儀分析。	mg/kg	10	45300
(Tetrabromobisphenol A (TBBP-A))	(With reference to RSTS-E&E-121, analysis was			
(CAS No.: 79-94-7)	performed by LC/MS.)			
雙酚A (Bisphenol A) (CAS No.: 80-05-7)	參考RSTS-CHEM-239-1·以液相層析串聯質譜儀	mg/kg	1	n.d.
	分析。(With reference to RSTS-CHEM-239-1,			
	analysis was performed by LC/MS/MS.)			
三丁基錫 (TBT) (Tributyl tin (TBT))	參考ISO 17353: 2004,以氣相層析儀/火焰光度偵	mg/kg	0.03	n.d.
	測器分析。(With reference to ISO 17353: 2004,			
	analysis was performed by GC/FPD.)			
氧化雙三丁基錫 (TBTO) (Bis(tributyltin)	參考ISO 17353: 2004·以氣相層析儀/火焰光度偵	mg/kg	0.03 🛦	n.d.
oxide (TBTO)) (CAS No.: 56-35-9)	測器分析;由三丁基錫測試結果計算得之。(With			
	reference to ISO 17353: 2004, analysis was			
	performed by GC/FPD. Calculated from the			
	result of Tributyl Tin (TBT).)			



ISOLA GROUP

號碼(No.): ETA20A00233 日期(Date): 29-Oct-2020 頁數(Page): 3 of 12

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
三苯基錫 (TPhT) (Triphenyl tin (TPhT))	參考ISO 17353: 2004·以氣相層析儀/火焰光度偵	mg/kg	0.03	n.d.
	測器分析。(With reference to ISO 17353: 2004,			
	analysis was performed by GC/FPD.)			
二丁基錫 (DBT) (Dibutyl tin (DBT))	參考ISO 17353: 2004 · 以氣相層析儀/火焰光度偵	mg/kg	0.03	n.d.
	測器分析。(With reference to ISO 17353: 2004,			
	analysis was performed by GC/FPD.)			
二辛基錫 (DOT) (Dioctyl tin (DOT))	參考ISO 17353: 2004·以氣相層析儀/火焰光度偵	mg/kg	0.03	n.d.
	測器分析。(With reference to ISO 17353: 2004,			
	analysis was performed by GC/FPD.)			
聚氯乙烯 (Polyvinyl chloride) (PVC)	參考ASTM E1252: 2013 · 以傅立葉轉換紅外線光	**	-	Negative
	譜儀及焰色法分析。(With reference to ASTM			
	E1252: 2013, analysis was performed by FT-IR			
	and Flame Test.)			
錫 (Sn) (Tin (Sn)) (CAS No.: 7440-31-5)	參考US EPA 3052: 1996 · 以感應耦合電漿發射光	mg/kg	2	n.d.
	譜儀分析。(With reference to US EPA 3052:			
	1996, analysis was performed by ICP-OES.)			
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-	参考US EPA 3052: 1996 · 以感應耦合電漿發射光	mg/kg	2	n.d.
36-0)	譜儀分析。(With reference to US EPA 3052:			
	1996, analysis was performed by ICP-OES.)			
磷 (P) (Phosphorus (P)) (CAS No.: 7723-	參考US EPA 3052: 1996 · 以感應耦合電漿發射光	mg/kg	2	124
14-0)	譜儀分析。(With reference to US EPA 3052:			
	1996, analysis was performed by ICP-OES.)			
鎳 (Ni) (Nickel (Ni)) (CAS No.: 7440-02-	参考US EPA 3052: 1996 · 以感應耦合電漿發射光	mg/kg	2	n.d.
0)	譜儀分析。(With reference to US EPA 3052:			
	1996, analysis was performed by ICP-OES.)			
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-	參考US EPA 3052: 1996,以感應耦合電漿發射光	mg/kg	2	n.d.
41-7)	譜儀分析。(With reference to US EPA 3052:			
	1996, analysis was performed by ICP-OES.)			
砷 (As) (Arsenic (As)) (CAS No.: 7440-	參考US EPA 3052: 1996,以感應耦合電漿發射光	mg/kg	2	n.d.
38-2)	譜儀分析。(With reference to US EPA 3052:			
	1996, analysis was performed by ICP-OES.)			



ISOLA GROUP

號碼(No.): ETA20A00233 日期(Date): 29-Oct-2020 頁數(Page): 4 of 12

備註(Note):

1. mg/kg = ppm ; 0.1wt% = 1000ppm

2. MDL = Method Detection Limit (方法偵測極限值)

3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL

4. "-" = Not Regulated (無規格值)

5. **= Qualitative analysis (No Unit) 定性分析(無單位)

6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)

7. 全氟辛烷磺酸及其鹽類包含 (PFOS and its salts including):

CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.

8. 全氟辛酸及其鹽類包含 (PFOA and its salts including):

CAS No.: 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.

9. ▲: MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.)

換算公式 (Conversion Formula): AX = A × F

AX	А	F
氧化雙三丁基錫 (Bis(tributyltin)oxi	三丁基錫 (Tributyl Tin) (TBT)	1.024

參數換算表 (Parameter Conversion Table):

https://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp



ISOLA GROUP

號碼(No.): ETA20A00233 日期(Date): 29-Oct-2020 頁數(Page): 5 of 12

鹵素分析流程圖 / Analytical flow chart - Halogen

樣品前處理/分樣 / Sample pretreatment/separation

平重及將樣品放入樣品槽中 / Weighting and putting sample in cell

燃燒彈/吸收
Oxygen Bomb Combustion / Absorption

稀釋至固定體積 / Dilution to fixed volume


離子層析儀分析 / Analysis was performed by IC



ISOLA GROUP

號碼(No.): ETA20A00233 日期(Date): 29-Oct-2020 頁數(Page): 6 of 12

全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS






ISOLA GROUP

號碼(No.): ETA20A00233 日期(Date): 29-Oct-2020 頁數(Page): 7 of 12

四溴雙酚-A 分析流程圖 / Analytical flow chart - TBBP-A






ISOLA GROUP

號碼(No.): ETA20A00233 日期(Date): 29-Oct-2020 頁數(Page): 8 of 12

雙酚A分析流程圖 / Analytical flow chart - Bisphenol A






ISOLA GROUP

號碼(No.): ETA20A00233 日期(Date): 29-Oct-2020 頁數(Page): 9 of 12

有機錫分析流程圖 / Analytical flow chart - Organic-Tin






ISOLA GROUP

號碼(No.): ETA20A00233 日期(Date): 29-Oct-2020 頁數(Page): 10 of 12

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC





ISOLA GROUP


號碼(No.): ETA20A00233 日期(Date): 29-Oct-2020 頁數(Page): 11 of 12

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051、US EPA 3052】



* US EPA 3051 方法未添加氫氟酸 / US EPA 3051 method does not add HF.



ISOLA GROUP

號碼(No.): ETA20A00233 日期(Date): 29-Oct-2020 頁數(Page): 12 of 12

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETA20A00233



** 報告結尾 (End of Report) **