

測試報告 Test Report^號

號碼(No.): CV/2018/B0129

日期(Date): 2018/11/28

頁數(Page): 1 of 8

ISOLA GROUP

以下测試樣品係由申請廠商所提供及码	確認	(The following sample(s) was/were submitted and identified by/on						
behalf of the applicant as):								
樣品名稱(Sample Description)	:	LAMINATE						
樣品型號(Style/Item No.)	:	IS400						
收件日期(Sample Receiving Date)	:	2018/11/14						
測試期間(Testing Period)	:	2018/11/14 TO 2018/11/28						

测試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).





號碼(No.): CV/2018/B0129

日期(Date): 2018/11/28

頁數(Page): 2 of 8

ISOLA GROUP

<u>測試結果(Test Results)</u>

測試部位(PART NAME)No.1 : 銅色片狀 (COPPER COLORED SHEET)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)
			(MDL)	No. 1
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	1290
鹵素 (氯) / Halogen-Chlorine (Cl) (CAS No.: 22537-15-1)	mg/kg	参考BS EN 14582 (2016),以離子層析儀 分析. / With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	299
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	38800
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n. d.
銻 / Antimony (Sb)	mg/kg	參考US EPA 3052 (1996),以感應耦合電 漿原子發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n. d.
砷 / Arsenic (As)	mg/kg	參考US EPA 3052 (1996),以感應耦合電 漿原子發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n. d.
鎳 / Nickel (Ni)	mg/kg	参考US EPA 3052 (1996),以感應耦合電 浆原子發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	19.5
磷 / Phosphorus (P)	mg/kg	参考US EPA 3052 (1996),以感應耦合電 浆原子發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	34. 8



ISOLA GROUP

號碼(No.): CV/2018/B0129

日期(Date): 2018/11/28

頁數(Page): 3 of 8

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
四溴雙酚-A / Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	mg/kg	参考Global SOP RSTS-E&E-121 (2012), 以液相層析儀/質譜儀分析. / With reference to Global SOP RSTS-E&E-121 (2012). Analysis was performed by LC/MS.	10	n. d.
雙酚 A / Bisphenol A (CAS No.: 80- 05-7)	mg/kg	參考RSTS-CHEM-239-1 (2016),以超高效 能液相層析串聯質譜儀檢測. / With reference to RSTS-CHEM-239-1 (2016). Analysis was performed by UPLC-MSMS.	1	n. d.
總揮發性有機物質 / Total Volatile Organic Compounds (TVOC)		以頂空氣體進樣裝置,連接氣相層析儀/ 質譜儀檢測. / Analysis was performed by Headspace linked GC/MS. (測試條件 / Test Condition: 90℃, 30 mins)	1	13. 5

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)



號碼(No.): CV/2018/B0129


日期(Date): 2018/11/28

頁數(Page): 4 of 8

ISOLA GROUP

<u>鹵素分析流程圖 / Analytical flow chart - Halogen</u>

- 測試人員:陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang






號碼(No.): CV/2018/B0129

日期(Date): 2018/11/28


頁數(Page): 5 of 8

ISOLA GROUP





■ 測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.): CV/2018/B0129


日期(Date): 2018/11/28

頁數(Page): 6 of 8

ISOLA GROUP

雙酚A分析流程圖 / Analytical flow chart - Bisphenol A

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.): CV/2018/B0129

日期(Date): 2018/11/28


頁數(Page): 7 of 8

ISOLA GROUP

根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.

- 測試人員:陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang







號碼(No.): CV/2018/B0129


日期(Date): 2018/11/28

頁數(Page): 8 of 8

ISOLA GROUP

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

CV/2018/B0129



** 報告結尾 (End of Report) **