



MATERIAL SAFETY DATA SHEET (MSDS) SAFETY DATA SHEET (SDS)

MSDS Date: November 19, 2015

1. IDENTIFICATION OF SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

IDENTIFICATION OF PREPARATION: IS410 Prepreg

USE OF PREPARATION: Resin-impregnated woven fiberglass.

COMPANY IDENTIFICATION ISOLA USA Corp.
San Tan II Corporate Center
3100 West Ray Road
Chandler, AZ 85226

PHONE: 480-963-0022
FAX: 800-233-1068

MSDS PREPARED BY: Chemistry & Industrial Hygiene, Inc., (800) 420-9311, on the date shown above.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations of Canada and the MSDS contains all the information required by the Controlled Products Regulations.

EMERGENCY TELEPHONE (24 HOUR): 800-468-1263 (Infotrac)

2. COMPOSITION/INFORMATION ON INGREDIENTS

MATERIAL	CAS NUMBER	EC NUMBER	PERCENT	Hazard Classification
Woven Continuous Filament Glass Fiber (E-glass)	65997-17-3	266-046-0	35-60	X _i , R36/37/38
Proprietary Liquid Epoxy Resin	Proprietary	Proprietary	Proprietary	X _i , R36/38-43 N, R51/53
Novolac Resin	Proprietary	Proprietary	Proprietary	X _i , R36/38-43 N, R51/53
Non-Hazardous Polymers	Mixture	Mixture	20-40%	Not Classified

See Section 16 for details on Hazard Classifications.

3. HAZARDS IDENTIFICATION

Canadian WHMIS for the preparation:

Class D, Division 2B – Toxic Material Causing Eye Irritation and Skin Sensitization

EU PREPARATION CLASSIFICATION (1999/45/EC):

Irritant (X_i), R36/37/38-43;

Dangerous for the Environment (N), R51/53

EMERGENCY OVERVIEW: Inhalation of product particulates or of residual solvent vapors may be harmful. May cause skin sensitization. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

POTENTIAL HEALTH EFFECTS: No information is available on this specific mixture as a whole. The information presented is based on each of the components present at concentrations greater than 1% (0.1 % for carcinogens). Product may be harmful if swallowed. This product contains less than one percent total residual solvents (methyl ethyl ketone, propylene glycol monomethyl ether and/or cyclohexanone). Exposure to residual vapors may cause eye, skin and respiratory tract irritation. Animal studies indicate that Methyl Ethyl Ketone may have toxic effects on human reproduction. Exposure to cyclohexanone may cause liver and/or kidney toxicity. Dust generated during routine handling, machining,